
# **DP4K-23B**

# Ultra-bright 4K DLP Barco Alchemy Cinema projector for screens up to 23m (75ft)









#### Future-proof technology for an enthralling movie experience

A single DP4K-23B Barco Alchemy projector can truly elevate the movie experience by enabling 4K 2D to be shown at 60 fps and 4K 3D images. It also shows uncompressed 4K 60 fps alternative content for crisp images.

#### Low cost of ownership

Geared with integrated Barco Alchemy technology that drives operational and maintenance costs down, the DP4K-23B offers superior image processing, pristine images and ultimate reliability at a low TCO.

The DP4K-23B projector is also available in a package with a third-party media server and it can be ordered without the Barco Alchemy module as well.

#### **Unique benefits of Barco Alchemy technology**

- · Combines media server functionalities with cinema processing electronics
- · A single DP4K-23B projector shows 4K movies at 60 fps and 4K 3D content
- · Fewer boxes lead to more reliability and ease-of-use
- · Simple operation thanks to intuitive 'Barco Web Commander' user interface
- · Easy upgrading of Series 2 projectors with Barco Alchemy module



## **Product specifications**

## DP4K-23B

Digital MicroMirror Device™	3 x 1.38" DC4K dark metal devices
Native resolution	4,096 x 2,160 pixels
Housing	Hermetically sealed DMDs and optical assembly
Lamp	1.2kW - 4kW (Xenon lamp)
Light output	24,500 lumens (4 kW lamp)
Screen size	Up to 23m / 75 ft wide
Contrast ratio	2,000:1
Prime lenses	1.13 - 1.66 1.27 - 1.86 1.45 - 2.13 1.63 - 2.53 1.95 - 3.26 2.53 - 4.98 equivalent throw ratios for 4K 1.38" DMD
Control I/O	3x Ethernet (RJ 45)3D interface USB RS-232 interface
Integrated Cinema Media Processor	DCI 4K 2D up to 60fps DCI 4K 3D (24 or 30 fps per eye) DCI High Frame Rates 2K 3D up to 120fps (60fps per eye) JPEG 2000 bit-rates up to 625Mbps Dual-channel color-correction MPEG-2 (4:2:0 and 4:2:2 up to 60fps) H.264**  2x DisplayPort 1.1a (up to 4K 2D 60fps and 4K 3D 30fps) 2x 3G-SDI inputs* 1x HMDI 1.4a input 2D and PCM audio / 4K 24fps (BluRay HD 3D on roadmap) 16x AES/EBU audio channels (2x RJ45) 8x GPI, 8x GPO (4x RJ45) 2x ETH for content connectivity & ingest 2x front-accessible USB 3.0 for fast ingest 2x front-accessible USB 2.0 Video watermarking: Civolution NexGuard Audio watermarking: Civolution Closed captioning devices: Support for SMPTE 430-10 *in testing *** software testing
Integrated storage	1.9TB effective storage (RAID-5) 3x 1TB Hot-swappable 2.5" hard-drives
Barco Web Commander	Projector Dashboard Projector Control Board Show Player/Editor/Scheduler Automation, 3D, Ingest Dynamic DCP playlists & intermission TMS integration Smart Projector Status Via HTML5 web-browsers including iOS & Android tablets Dual projector passive 3D Auro 11.1 decoding
Power requirements	200-240V 30A 50-60Hz 19,000 BTU/hr (with 4kW lamp)
Dimensions	$604(H) \times 754(W) \times 1129(D) \text{ mm} / 23.78(H) \times 29.69(W) \times 44.45(D) \text{ inch NB.: min. 5 cm of air inlet spacing required at the bottom of projector}$
Weight	134 kg (295 lbs)
Ambient temperature	35°C / 95°F Max.
Exhaust airflow	350 CFM
Standard Features	CLO (Constant Light Output) Powerful SNMP agent Motorized/memorized lens (focus, zoom & shift) Advanced patented DMD cooling

#### **Product specifications**

#### DP4K-23B

Options	Barco CineMate App (iOS & Android) - free ACS-2048 3D add-ons Touch screen monitor, inc. Barco Commander & Communicator Pedestal
	CineCare Web
	Auro 11.1 license
	Dual projection license
	4K 60p∕ 4K 3D license (included)
	Live 3D***
	Ghostbusting***
	*** Software roadman

